

City of Lakeville

Work Exempt from Permit

A. Building

- 1) One-story detached accessory structures used as tool and storage sheds, playhouses, and similar uses, provided the floor area does not exceed 200 square feet. (ZONING PERMIT REQUIRED)
- 2) Fences not over seven feet high. (ZONING PERMIT REQUIRED)
- 3) Oil derricks.
- 4) Retaining walls that are not over 4 feet in height measured from the bottom of the footing to the top of the wall, unless supporting a surcharge or impounding Class I, II, or III-A liquids.
- 5) Water tanks supported directly upon grade if the capacity does not exceed 5,000 gallons and the ratio of height to the diameter or width does not exceed 2:1.
- 6) Sidewalks and driveways that are not part of an accessible route.
- 7) Decks and platforms not more than 30 inches above adjacent grade and not attached to a structure with frost footings and which is not part of an accessible route.
- 8) Painting, papering, tiling, carpeting, cabinets, countertops, and similar finish work.
- 9) Temporary motion picture, television, and theater stage sets and scenery.
- 10) Prefabricated swimming pools installed entirely above ground accessory to dwelling units constructed to the provisions of the MN Residential Code or R-3 occupancies constructed to the provisions of the MN Building Code which do not exceed both 5,000 gallons in capacity and a 24-inch depth. (ZONING PERMIT REQUIRED if minimum 24" deep and exceeds 150 sq. feet)
- 11) Window awnings supported by an exterior wall that do not project more than 54-inches from the exterior wall and do not require additional support, when constructed under the MN Residential Code or R-3 and U occupancies constructed to the provisions of the MN Building Code.
- 12) Movable cases, counters, and partitions not over 5 feet 9 inches in height.
- 13) Swings, and other playground equipment.

B. Gas

- 1) Portable heating, cooking, or clothes drying appliances.
- 2) Replacement of any minor part that does not alter approval of equipment or make the equipment unsafe.
- 3) Portable fuel cell appliances that are not connected to a fixed piping system and are interconnected to a power grid.

C. Mechanical

- 1) Portable heating appliances.
- 2) Portable ventilation appliances and equipment.
- 3) Portable cooling units.
- 4) Steam, hot, or chilled water piping within any heating or cooling equipment regulated by this code.
- 5) Replacement of any part that does not alter approval of equipment or make the equipment unsafe.
- 6) Portable evaporative coolers.
- 7) Self-contained refrigeration systems containing 10 pounds or less of refrigerant or that are actuated by motors of 1 horse power or less.
- 8) Portable fuel cell appliances that are not connected to a fixed piping system and are not interconnected to a power grid.

D. Repairs: Application or notice to the building official is not required for ordinary repairs to structures. The repairs shall not include the opening or removal of any wall, partition, or portion of a wall or partition, the removal or cutting of any structural beam or load bearing support, or the removal or change of any required means of egress requirements; nor shall ordinary repairs include addition to, alteration of, replacement, or relocation of any standpipe, water supply, sewer, drainage, drain leader, gas soil, waste, vent or similar piping, electrical wiring, or mechanical or other work affecting public health or general safety.